



# Wendeschneidplatten

Replaceable inserts  
Plaquettes de coupe

Form 282  
RCMT10T3..



Geometrie		Bestell-Nr.					P	M	K	N
Geometry		Schneidstoff								
Géométrie		Order No.	Radius	Toleranzklasse	ISO-Bezeichnung					
		Carbide grades	Radius	Tolerance group	ISO Code					
		No de cde.	Rayon	Groupe de tolérances	Désignation ISO					
		Matériaux de coupe								
148		F282 MO MN 148 (297 616) WHC23		M	RCMT10T3MO					
		F282 MO MN 148 (297 616) WHC33		M	RCMT10T3MO					
		F282 MO MN 148 (297 616) WHC71		M	RCMT10T3MO					
		F282 MO MN 148 (297 616) WHC72		M	RCMT10T3MO					



Zubehör/Ersatzteile	Schlüsselweite	Anziehdrehmoment	Bestell-Nr.	
Accessories/Spare parts	Key size	Torque	Order No.	
Accessoires/Pièces de rechange	Dim. de la clé	Couple de serrage	No de cde.	
<b>Senkschraube</b>				
Countersunk screw M3,5x9	T15	3,0 Nm	115 673	
Vis à tête conique				
<b>Bedienungsschlüssel, Torx</b>				
Service key, Torx	T15		115 664	
Clé de service, Torx				
<b>Drehmoment-Schraubendreher, Torx</b>				
Torque screwdriver, Torx	T15	3,0 Nm	415 510	
Clé dynamométrique, Torx				

Bestell-Beispiel / Ordering example / Exemple de commande :  
F282 MO MN 148 WHC23 (297 616 WHC23)


# Wendeschnidplatten

Replaceable inserts

Plaquettes de coupe

Form 283

RCMT1204..



Geometrie		Bestell-Nr.	Schneidstoff	Radius	Toleranzklasse	ISO-Bezeichnung		P	M	K	N	
Geometry		Order No.										Carbide grades
Géométrie		No de cde.	Matériaux de coupe	Radius	Rayon	Tolerance group	Group of tolerances	ISO Code	Designation ISO			
148		F283 MO MN 148 (297 617)	WHC23		M	RCMT1204MO	1					
		F283 MO MN 148 (297 617)	WHC33		M	RCMT1204MO	1					
		F283 MO MN 148 (297 617)	WHC71		M	RCMT1204MO	1					
		F283 MO MN 148 (297 617)	WHC72		M	RCMT1204MO	1					



R


Zubehör/Ersatzteile	Schlüsselweite	Anziehdrehmoment	Bestell-Nr.	
Accessories/Spare parts	Key size	Torque	Order No.	
Accessoires/Pièces de rechange	Dim. de la clé	Couple de serrage	No de cde.	
<b>Senkschraube</b>				
Countersunk screw	M 3,5 x 12	T15	3,0 Nm	215 911
Vis à tête conique				
<b>Bedienungsschlüssel, Torx</b>				
Service key, Torx	T15			115 664
Clé de service, Torx				
<b>Drehmoment-Schraubendreher, Torx</b>				
Torque screwdriver, Torx	T15	3,0 Nm		415 510
Clé dynamométrique, Torx				

Bestell-Beispiel / Ordering example / Exemple de commande :  
F283 MO MN 148 WHC23 (297 617 WHC23)


# Wendeschneidplatten

Replaceable inserts  
Plaquettes de coupe

Form 284  
RCMT1606..




Geometrie <i>Geometry</i> Géométrie	Bestell-Nr. Schneidstoff <i>Order No.</i> <i>Carbide grades</i> No de cde. Matériaux de coupe	Radius <i>Radius</i> Rayon	Toleranzklasse <i>Tolerance group</i> Groupe de tolérances	ISO-Bezeichnung <i>ISO Code</i> Désignation ISO	P	M	K	N
148	F284 MO MN 148 (297 898) WHC23		M	RCMT1606MO <sup>2</sup>				
	F284 MO MN 148 (297 898) WHC72		M	RCMT1606MO <sup>2</sup>				



Zubehör/Ersatzteile <i>Accessories/Spare parts</i> Accessoires/Pièces de rechange	Schlüsselweite <i>Key size</i> Dim. de la clé	Anziehdrehmoment <i>Torque</i> Couple de serrage	Bestell-Nr. <i>Order No.</i> No de cde.	
<b>Senkschraube</b> <i>Countersunk screw</i> Vis à tête conique	M5x14	T20	5,0 Nm	415 686
<b>Bedienungsschlüssel, Torx</b> <i>Service key, Torx</i> Clé de service, Torx	T20		215 150	
<b>Drehmoment-Schraubendreher, Torx</b> <i>Torque screwdriver, Torx</i> Clé dynamométrique, Torx	T20	5,0 Nm	415 543	

Bestell-Beispiel / Ordering example / Exemple de commande :  
F284 MO MN 148 WHC 23 (297 898 WHC23)



Geometrie <i>Geometry</i> Géométrie		Bestell-Nr. Schneidstoff <i>Order No.</i> <i>Carbide grades</i> No de cde. Matériaux de coupe		Radius <i>Radius</i> Rayon	Toleranzklasse <i>Tolerance group</i> Groupe de tolérances	ISO-Bezeichnung <i>ISO Code</i> Désignation ISO		P	M	K	N
147		F286 MO MN 147 (297 459)	WHC23		M	RCMX2006MO					
		F286 MO MN 147 (297 459)	WHC72		M	RCMX2006MO					



R

Zubehör/Ersatzteile <i>Accessories/Spare parts</i> Accessoires/Pièces de rechange	Schlüsselweite <i>Key size</i> Dim. de la clé	Anziedrehmoment <i>Torque</i> Couple de serrage	Bestell-Nr. <i>Order No.</i> No de cde.		
<b>Senkschraube</b> <i>Countersunk screw</i> Vis à tête conique	M6 x 18	T25	5,5 Nm	415 130	
<b>Bedienungsschlüssel, Torx</b> <i>Service key, Torx</i> Clé de service, Torx	T25			415 121	

Bestell-Beispiel / Ordering example / Exemple de commande :  
F286 MO MN 147 WHC 23 (297 459 WHC23)


# Wendeschneidplatten

Replaceable inserts

Plaquettes de coupe

Form 287

RCMX2507..



Geometrie <i>Geometry</i> Géométrie	Bestell-Nr. Schneidstoff <i>Order No.</i> <i>Carbide grades</i> No de cde. Matériaux de coupe	Radius <i>Radius</i> Rayon	Toleranzklasse <i>Tolerance group</i> Groupe de tolérances	ISO-Bezeichnung <i>ISO Code</i> Désignation ISO	P	M	K	N
147	F287 MO MN 147 (297 619) WHC33		M	RCMX2507MO 1				
	F287 MO MN 147 (297 619) WHC72		M	RCMX2507MO 1				

Zubehör/Ersatzteile <i>Accessories/Spare parts</i> Accessoires/Pièces de rechange	Schlüsselweite (SW) <i>Key size</i> Dim. de la clé	Bestell-Nr. <i>Order No.</i> No de cde.	
③ <b>Spannsatz, kpl.</b> <i>Clamping set, compl.</i> Jeu de serrage, compl.		315 063	
③.1 <b>Spannschraube</b> <i>Clamping screw</i> Jeu de serrage	s4	315 977	
③.2 <b>Auflageplatte</b> <i>Seat</i> Plaque		315 978	
③.3 <b>Spannhebel</b> <i>Clamping lever</i> Lever		315 976	
③.4 <b>Hülse</b> <i>Sleeve</i> Douille		315 959	
<b>Montagedorn für Hülse</b> <i>Mounting arbor for sleeve</i> Mandrin de montage pour douille		415 643	
<b>Bedienungsschlüssel</b> <i>Service key</i> Clé de service	s4	415 164	



Bestell-Beispiel / Ordering example / Exemple de commande :  
F287 MO MN 147 WHC 23 (297 619 WHC23)